



## 3 PHASE GAS COALESCING



### SERIES 383


**3 Phase Separator/ Coalescing Filter with Posi-Sealoc II<sup>®</sup> Quick Opening Enclosure Patent No. 7,332,010**

#### Standards:

- Designed, manufactured, and tested in accordance with ASME Section VIII, Division 1. ('U' Stamp available)
- Coalescing filter incorporates a filtration level of 3 micron.
- Provisions for legs
- Buna-N seals
- Built in Reservoir
- Quick opening cover with no bolts to torque.
- Standard "Pressure Warning Device" (PWD)  
*See page 12 for more information*

#### Filter Element:

- GFC pleated cleanable coalescing filter elements, with "New Flow Technology" out to in design.



Partial Model Code	A	B	C	D	E	Inlet/Outlet RF	Drain RF	Sight Gauge RF
<b>383-02008</b>	92" 2336.8 mm	24" 609.6 mm	38" 965.2 mm	60" 1524 mm	20" 508 mm	2" 50mm	1.5" 40 mm	1" 25 mm
<b>383-03008</b>	92" 2336.8 mm	24" 609.6 mm	38" 965.2 mm	60" 1524 mm	20" 508 mm	3" 80 mm	1.5" 40 mm	1" 25 mm
<b>383-04008</b>	92" 2336.8 mm	24" 609.6 mm	38" 965.2 mm	60" 1524 mm	20" 508 mm	4" 100 mm	1.5" 40 mm	1" 25 mm
<b>383-04012</b>	94" 2387.6 mm	30" 762 mm	40" 1016 mm	62" 1574.8 mm	20" 508 mm	4" 100 mm	2" 50 mm	1" 25 mm
<b>383-06012</b>	96" 2438.4 mm	30" 762 mm	40" 1016 mm	62" 1574.8 mm	20" 508 mm	6" 150 mm	2" 50 mm	1" 25 mm
<b>383-06024</b>	100" 2540 mm	40" 1016 mm	42" 1066.8 mm	64" 1625.6 mm	22" 558.8 mm	6" 150 mm	2" 50 mm	1" 25 mm
<b>383-08024</b>	108" 2743.2 mm	42" 1066.8 mm	44" 1117.6 mm	66" 1676.4 mm	22" 558.8 mm	8" 200 mm	2" 50 mm	1" 25 mm
<b>383-08030</b>	114" 2895.6 mm	48" 1219.2 mm	46" 1168.4 mm	68" 1727.2 mm	24" 609.6 mm	8" 200 mm	2" 50 mm	1" 25 mm

Notes: Body material, connections, available options, and dimensions are completely customizable. Dimensions and options availability are subject to change without notice. Please consult the TM Sales Department or your local sales representative for certified drawings, or additional information.

**PATENTED & INNOVATIVE FILTRATION TECHNOLOGIES**